


GENERAL ZOOLOGY.

T. Davison, Lombard-street, Whitefriars, London.



COMMON GROSBKAK.

GENERAL ZOOLOGY

or

SYSTEMATIC NATURAL HISTORY

commenced by the late


GEORGE SHAW, M.D.F.R.S. &c.

WITH PLATES

from the first Authorities and most select specimens

Engraved principally by

MR^S GRIFFITHS.



VOL. IX. Part II. AVE S. by J.F. Stephens, F.L.S.

Printed for G. Wilkie, J. Walker, J. Stockdale, J. & A. Arch, Longman, Hurst, Rees, Orme, & Brown, E. Jeffery, Sherwood, Neeley, & Jones, Law & Whittaker, Baldwin, Cradock, & Joy, R. Scholey, J. Black, W. Lowe, J. Booth, Gale & Fenner, S. Bagster, J. Robinson, J. Rodwell, Walker & Edwards, and Harper & C^o

GENERAL ZOOLOGY.

VOLUME IX.—PART II.

BY

JAMES FRANCIS STEPHENS, F.L.S.

BIRDS.

LONDON:

PRINTED FOR G. WILKIE; J. WALKER; J. STOCKDALE; J. AND
A. ARCH; LONGMAN, HURST, REES, ORME, AND BROWN;
E. JEFFERY; SHERWOOD, NEELEY, AND JONES; LAW AND
WHITTAKER; BALDWIN, CRADOCK, AND JOY; R. SCHOLEY;
J. BLACK; W. LOWE; J. BOOTH; GALE AND FENNER;
S. BAGSTER; J. ROBINSON; J. RODWELL; WALKER AND
EDWARDS; AND HARPER AND CO.

1816.

INDEX

TO

VOL. IX.—PART II.

<i>ABERDEVINE</i> . p. 467	Bunting, barred-tail p. 371
<i>Bengalus. Briss.</i> 541	——— <i>black. Lath.</i> . 367
——— <i>punctulatus.</i> 542	——— <i>black-crowned</i> 364
<i>Brambling, greater:</i>	——— <i>black-faced</i> . 256
<i>Albin.</i> . . . 489	——— <i>black-headed</i> . 365
<i>Bullfinch, China</i> . . 401	——— <i>black-throated</i> 379
——— <i>greatest.</i>	——— <i>blue</i> . . . 408
<i>Edwards</i> . . . 238	——— <i>blue-faced</i> . 406
——— <i>little brown</i> . 306	——— <i>Bourbon</i> . 416
Bunting 340	——— <i>Brasilian</i> . 386
——— <i>Amazonian</i> . 383	——— <i>brumal</i> . . 387
——— <i>Angola</i> . . 425	——— <i>Cape</i> . . . 372
——— <i>Aoonalaschka</i> . 396	——— <i>Chinese</i> . . 368
——— <i>Baden</i> . . . 378	——— <i>cinereous</i> . 401
	——— <i>Cirl</i> . . . 356
	——— <i>coloured</i> . . 385
	——— <i>common</i> . . 360
	——— <i>crimson</i> . . 412

Bunting, crimson-bellied	p. 413	Bunting, Sandwich	p. 397
——— Dauurian	382	——— shaft-tailed	426
——— Dominican	423	——— snow	341
——— dwarf	394	——— Surinam	400
——— familiar	384	——— tawny	344
——— foolish	355	——— Towhe	414
——— green	409	——— varied	410
——— grey	417	——— variegated	420
——— Guar	383	——— Unalashka	396
——— Indigo	407	——— Weaver	373
——— Lesbian	370	——— Whidah	418
——— long-tailed	419	——— white-crowned	392
——— Lorraine	369	——— white	367
——— Louisiane	366	——— wreathed	393
——— Maelby	399	——— yellow	351
——— Mexican	395	——— yellow-bellied	374
——— military	393	——— yellow-breasted	402
——— mountain	346	——— yellow-browed	391
——— mustachoe	376	——— yellow-faced	354
——— olive	377	——— yellow-winged	353
——— orange-shoulder- ed	422	<i>Cardinal, Dominican</i>	279
——— Ortolan	349	<i>Cardinalis angolensis</i>	263
——— painted	403	——— <i>Capitis Bonæ</i>	
——— Panayan	421	<i>Spei</i>	240
——— passerine	359	——— <i>dominicalis</i>	276
——— Pine	398	——— <i>Madagascariensis</i>	244
——— Plata	411	<i>Carduelis americana.</i>	
——— Psittaceous	424	<i>Briss.</i>	464
——— reed	362	——— <i>Suecica</i>	457
——— red-eyed	415	——— <i>viridis</i>	463
——— red-rumped	405	<i>Chloris bahamensis</i>	481
——— rice	388	——— <i>indica</i>	477
——— ruddy	381		
——— rustic	390		
——— rusty	381		

<i>Chloris indica minor</i>	p. 409	CRUCIROSTRA leucop-	
— <i>javensis</i>	406	tera	p. 233
— <i>ludoviciana, Papa</i>	401	— <i>vulgaris</i>	231
<i>Cirlus stultus</i>	355	<i>Cynchramus, Brisson</i>	360
<i>Coccothraustes americana</i>		EMBERIZA	340
— <i>cærulea</i>	253	— <i>alba, Ray</i>	360
— <i>angolensis</i>		— <i>amazona</i>	383
— <i>cyanea</i>	250	— <i>americana</i>	379
— <i>borbonica</i>	329	— <i>angolensis</i>	425
— <i>canadensis</i>	238	— <i>Aoonalaskhen-</i>	
— <i>Capitis Bo-</i>		sis	396
— <i>næ Spei</i>	313	— <i>arctica</i>	397
— <i>cayanensis</i>	269	— <i>asiatica</i>	383
— <i>Gambensis</i>	290	— <i>atricapilla</i>	364
— <i>javensis</i>	332	— <i>aureola</i>	402
— <i>javensis næ-</i>		— <i>badensis</i>	378
— <i>via</i>	330	— <i>borbonica</i>	416
— <i>Indica</i>	247	— <i>brasiliensis</i>	386
— <i>ludoviciana</i>		— <i>brumalis</i>	387
—	278	— <i>Calfat</i>	415
— <i>lutea Capi-</i>		— <i>canadensis</i>	401
— <i>tis Bonæ Spei</i>	271	— <i>canadensis cæru-</i>	
— <i>moluccen-</i>		— <i>lea</i>	408
— <i>sis</i>	331	— <i>capensis</i>	372
— <i>sinensis</i>	332	— <i>capensis. Lath.</i>	374
— <i>sinensis ci-</i>		— <i>chrysophrys</i>	391
— <i>nerea</i>	316	— <i>chrysoptera</i>	353
— <i>Virginia-</i>		— <i>Cia</i>	355
— <i>na</i>	248	— <i>cinerea</i>	401
Crossbill	229	— <i>Ciris</i>	403
— common	231	— <i>Cirlus</i>	356
— white-winged	233	— <i>citrinella</i>	351
CRUCIROSTRA	229	— <i>coccinea</i>	413
		— <i>cærulea</i>	408
		— <i>cyanea</i>	407

EMBERIZA cyanopsis p. 406	EMBERIZA platensis p. 411
——— dominicensis.	——— pratensis . 355
Briss. 377	——— principalis . 420
——— erythropthalma 414	——— provincialis . 376
——— familiaris . 384	——— psittacea . 424
——— fasciata . 371	——— pusilla . 394
——— ferruginea . 381	——— quadricolor . 405
——— flava . . . 351	——— Quelea . 256
——— flaveola . 354	——— regia . . 426
——— flaviventris . 374	——— rubra . . 412
——— fucata . . 385	——— rustica . 390
——— glacialis . 344	——— ruticapilla.
——— grisea . . 417	Gmel. 446
——— Hortulana . 349	——— rutila . . 381
——— hyemalis . 367	——— sandvichensis.
——— leucophrys . 392	Gmel. 397
——— lesbia . . 370	——— Schœniclus . 362
——— longicauda . 422	——— sepiaria . 356
——— lotharingica 369	——— serena . 423
——— luctuosa . 393	——— sinensis . 368
——— ludoviciana . 366	——— spodocephala 382
——— maelbiensis . 399	——— surinamensis 400
——— melanocephala 365	——— surinamensis.
——— mexicana . 395	Briss. 417
——— miliaria . 360	——— Textrix . 373
——— militaris . 393	——— vidua . . 419
——— mixta . . 410	——— viridis . 409
——— montana . 346	——— unalashcensis.
——— mustelina . 344	Gmel. 396
——— nivalis . 341	Finch 428
——— olivacea . 377	——— Amaduvade . 542
——— Orix: Linné. 240	——— American, gold . 464
——— oryzivora . 388	——— Angola . . 539
——— paradisea . 418	——— arctic . . 523
——— passerina . 359	——— autumnal . . 481
——— panayensis . 421	——— Bahama . . 481
——— pithyornus . 398	

INDEX.

ix

Finch, bearded . . .	p. 484	Finch, fasciated . . .	p. 503
— beautiful . . .	465	— ferruginous . . .	455
— black and orange . . .	526	— fire . . .	514
— black-collared . . .	486	— <i>flaming</i> . Penn. . .	451
— black-faced . . .	440	— foolish . . .	436
— <i>black-faced</i> . Penn. . .	439	— forrest . . .	528
— black-headed . . .	531	— frizzled . . .	480
— black mexican . . .	471	— Georgian . . .	537
— blue-bellied . . .	541	— glossy . . .	453
— blue-crowned . . .	509	— gold . . .	460
— blue-faced . . .	510	— grass . . .	504
— blue-headed . . .	508	— greater redpole . . .	516
— Bonana . . .	506	— green-gold . . .	463
— bramble . . .	444	— green-rumped . . .	483
— Brazilian . . .	546	— grey . . .	259
— brown . . .	532	— grey-headed . . .	494
— brown-throated . . .	534	— house . . .	429
— Canary . . .	474	— imperial . . .	482
— Cape . . .	545	— Lapland . . .	489
— Capsa . . .	495	— lepid . . .	513
— Carolina . . .	439	— lesser redpole . . .	519
— Carthagera . . .	491	— long-billed . . .	459
— Ceylon . . .	479	— long-tailed . . .	547
— Chaff . . .	442	— lovely . . .	466
— Chinese . . .	524	— Lulean . . .	457
— Chinese Siskin . . .	470	— lunar . . .	512
— cinereous . . .	529	— Mexican Siskin . . .	471
— Citril . . .	472	— mountain . . .	441
— collared . . .	502	— nitid . . .	536
— Cowpen . . .	501	— norton . . .	485
— crescent . . .	530	— orange . . .	497
— crimson-crowned . . .	451	— <i>painted</i> . . .	401
— crimson-headed . . .	449	— parrot . . .	447
— Cuba . . .	511	— <i>pie-d-mountain</i> . . .	341
— Dalmatic . . .	437	— Pine . . .	503
— dusky . . .	540	— purple . . .	507
— Eustachian . . .	476	— red-breasted . . .	456

Finch, <i>red-breasted, long-tailed</i> . . . p. 418	Finch, white-throated p. 499
— red-crowned . . . 446	— Winter . . . 490
— red-faced . . . 448	— yellow . . . 477
— red-headed . . . 458	— yellow-throated . . 478
— ring . . . 434	ERINGILLA . . . 428
— <i>rosy, Latham.</i> . . 449	— Abyssinica . . . 486
— rufous-chinned . . 452	— <i>Æthiops.</i>
— rusty-collared . . 503	— <i>Gmel.</i> . . . 453
— Savanna . . . 500	— Afra . . . 448
— scarlet . . . 454	— Alario . . . 545
— Senegal . . . 543	— <i>albicollis.</i>
— Serin . . . 473	— <i>Gmel.</i> . . . 499
— sharp-tailed . . . 515	— Amandava . . . 542
— short-tailed . . . 435	— Angolensis . . . 539
— Siskin . . . 467	— <i>Angolensis.</i>
— snow . . . 492	— <i>Linné.</i> . . . 541
— Sparrow . . . 429	— arcuata . . . 530
— speckled . . . 438	— argentora-
— Strasburg . . . 538	— tensis . . . 538
— striped-headed . . 498	— australis . . . 503
— sultry . . . 544	— autumnalis . . . 481
— Surinam . . . 487	— <i>bahamensis.</i>
— swamp . . . 488	— <i>Briss.</i> . . . 497
— temporal . . . 533	— barbata . . . 484
— testaceous . . . 484	— benghalus . . . 541
— <i>Thistle</i> . . . 460	— bicolor . . . 481
— tree . . . 432	— bononiensis . . . 438
— tripoline . . . 535	— brachyura . . . 435
— Twite . . . 521	— butyracea . . . 477
— variegated . . . 527	— Cacatototl . . . 471
— ultramarine . . . 506	— calida . . . 544
— white-breasted . . 525	— cana . . . 494
— white-cheeked . . 496	— canadensis . . . 441
— white-headed . . . 493	— canaria . . . 474
— white-tailed . . . 436	— cannabina . . . 516
— <i>white-tailed wax-bill</i> 262	— Capsa . . . 495

FRINGILLA *Capitis Bonæ*

<i>Spei</i>	p. 288
Carduelis	460
carolinensis	439
carolinensis	
<i>Briss.</i>	414
carthagini-	
ensis	491
caudacuta	515
cinerea	529
<i>cinerea In-</i>	
<i>dica</i>	259
citrinella	472
coccinea	454
Cœlebs	442
crispa	480
cristata	440
<i>cristata.</i>	
<i>Briss.</i>	451
cyanoce-	
phala	509
cyanomelas	508
Dalmatica	437
domestica	429
elegans	465
erythroce-	
phala	458
<i>erythrophal-</i>	
<i>ma</i>	414
Eustachii	476
fasciata	505
ferruginea	455
flammea	451
flavicollis	478
flavirostris	523
formosa	466
fusca	532

FRINGILLA *fusca.*

<i>Briss.</i>	p. 523
fuscicollis	534
Georgiana	537
graminea	504
granatina	546
hyemalis	490
<i>Hudsonias.</i>	
<i>Gmel.</i>	367
Jamaica	506
ignita	514
iliaca	488
imperialis	482
Indica	502
<i>Insula S.</i>	
<i>Eustachii</i>	476
lapponica	489
lepida	513
leucocephala	493
leucura	436
linaria	519
<i>Linota.</i>	
<i>Gmel.</i>	516
longirostris	459
lulensis	457
macroura	547
maia	511
<i>martinicen-</i>	
<i>sis. Gmel.</i>	452
melanictera	526
melanoce-	
phala	531
melanoleuca	523
melba	463
mexicana	471
montana	432

FRINGILLA *montana*.

<i>Briss.</i>	p. 489
<i>monticola.</i>	
<i>Gmel.</i>	441
<i>montifrin-</i>	
<i>gilla</i>	444
<i>montium</i>	521
<i>montium.</i>	
<i>Gmel.</i>	521
<i>multicolor</i>	483
<i>nævia</i>	496
<i>nigra ictero-</i>	
<i>cephalus. Briss.</i>	460
<i>nitens</i>	453
<i>nitida</i>	536
<i>nivalis</i>	492
<i>noctis</i>	452
<i>nortoniensis</i>	485
<i>obscura</i>	540
<i>oryzivora</i>	388
<i>pecoris</i>	501
<i>pensylvanica</i>	499
<i>petronia</i>	434
<i>pinetorum</i>	503
<i>psittacea</i>	447
<i>punicea</i>	456
<i>purpurea</i>	507
<i>rosea</i>	449
<i>rubra, minor</i>	306
<i>ruticapilla</i>	446
<i>Savannarum</i>	500
<i>Senegala</i>	543
<i>senegalensis.</i>	
<i>Briss.</i>	459
<i>serinus</i>	473
<i>sinensis</i>	470
<i>Sinica</i>	524

FRINGILLA *Spinus* p. 467

<i>striata</i>	498
<i>stulta</i>	436
<i>surinama</i>	487
<i>sylvatica</i>	528
<i>syriaca</i>	535
<i>temporalis</i>	533
<i>testacea</i>	484
<i>torquata</i>	512
<i>torquata,</i>	
<i>Indica. Briss.</i>	502
<i>tricolor</i>	510
<i>tristis</i>	464
<i>variegata</i>	527
<i>varie novæ</i>	
<i>Hispaniæ</i>	527
<i>virginiana</i>	501
<i>ultramarina</i>	506
<i>Zena</i>	497
<i>Zeylonica</i>	479

Greenfinch, Indian. Edw. 477

Grosbeak	235
<i>Abyssinian</i>	294
<i>African</i>	272
<i>Angola</i>	280
<i>ash-coloured</i>	298
<i>ash-headed</i>	286
<i>asiatic</i>	261
<i>Bengal</i>	258
<i>black</i>	321
<i>black. Edwards</i>	280
<i>black-bellied</i>	289
<i>black-breasted</i>	325
<i>black-crested</i>	242
<i>black-headed</i>	243

Grosbeak, <i>black-lined</i> p. 282	Grosbeak, grey-necked p. 312
— blue . . . 250	— <i>Hamburgh</i> .
— <i>blue, from Angola</i> . . . 250	— <i>Lath.</i> . . . 432
— blue-shouldered 251	— Hawfinch . . . 236
— blue-winged . . . 209	— Hudsonian . . . 297
— Brazilian . . . 317	— Java . . . 316
— brimstone . . . 313	— Indian . . . 247
— brown . . . 323	— lineated . . . 326
— <i>brown. Brown</i> . . . 295	— long-tailed . . . 284
— brown-cheeked . . . 270	— Madagascar . . . 244
— brown-headed . . . 308	— Malabar . . . 262
— Bullfinch . . . 318	— Malacca . . . 332
— Caffrarian . . . 286	— <i>Malacca</i> . . . 301
— Canada . . . 269	— marygold . . . 287
— Cape . . . 288	— Mexican . . . 241
— Cardinal . . . 248	— minute . . . 334
— Caucasian . . . 245	— Molucca . . . 331
— Chinese . . . 311	— mustachoe . . . 309
— cinereous . . . 259	— nitid . . . 282
— Cowry . . . 330	— northern . . . 322
— crested . . . 260	— nun . . . 292
— crested Domi-	— orange . . . 320
— nican . . . 264	— orange-bellied . . . 306
— Dominican . . . 276	— Paradise . . . 267
— dusky . . . 296	— parrot-billed . . . 268
— dwarf . . . 333	— pearled . . . 279
— fantailed . . . 305	— pensile . . . 275
— fasciated . . . 328	— Philippine . . . 314
— fascinating . . . 298	— Pine . . . 238
— ferruginous . . . 327	— <i>Pope</i> . . . 276
— frontal . . . 265	— praline . . . 267
— Gambia . . . 290	— purple . . . 249
— gold-backed . . . 285	— radiated . . . 281
— green . . . 310	— <i>red, Albin</i> . . . 248
— grenadier . . . 240	— red-billed . . . 256
— grey . . . 252	— red-breasted . . . 278
	— <i>red-rumped</i> . . . 254

Grosbeak, St. Domingo p.	273	<i>Ligurinus</i> , Briss. . .	p. 467
——— Siberian .	246	——— <i>mexicanus</i> .	471
——— sociable .	303	——— <i>mexicanus</i> , <i>niger</i>	471
——— spotted .	307		
——— striated .	329	<i>Linaria</i> , Briss. . .	516
——— Sumatran .	291	——— <i>angolensis</i> .	539
——— Sunda . .	300	——— <i>argenteratensis</i>	538
——— thick-billed .	324	——— <i>brasiliانا longi-</i>	
——— <i>three-toed</i> .	338	<i>cauda</i> . . .	424
——— Totty . .	302	——— <i>minima</i> . .	521
——— warbling .	295	——— <i>montana</i> . .	521
——— wax-bill .	254	——— <i>rubra major</i> .	516
——— white-billed .	321	——— <i>rubra minor</i> .	519
——— white-headed	301		
——— <i>white-rumped</i> .		<i>Linnet</i> , Angola, Edw. .	539
<i>Lath.</i> . . .	254	——— <i>common</i> .	516
——— white-tailed	262	——— <i>greater red-headed</i>	516
——— white-throated	253	——— <i>lesser red-headed</i>	519
——— white-winged	283	——— <i>mountain</i> .	521
——— yellow .	290		
——— yellow-bellied	271	LOXIA . . .	235
——— yellow-fronted	274	——— <i>Briss.</i> . .	231
——— yellow-headed	266	——— <i>Paterson</i> . .	303
——— yellow-rumped	293	——— <i>Abyssinica</i> .	294
		——— <i>Africana</i> .	272
<i>Hortulanus</i> . Briss. .	344	——— <i>Americana</i> .	328
——— <i>Capitis Bonæ</i>		——— <i>angolensis</i> .	280
<i>Spei</i> . . .	372	——— <i>asiatica</i> . .	261
——— <i>Carolinensis</i>	388	——— <i>astrilda</i> . .	254
——— <i>nivalis</i> .	341	——— <i>aurantia</i> . .	320
——— <i>nivalis niger</i>	367	——— <i>aurea</i> . . .	285
		——— <i>bengalensis</i> .	258
HYREUS . . .	337	——— <i>bicolor</i> . . .	306
——— <i>Abyssinicus</i> .	338	——— <i>boetonensis</i> .	247
		——— <i>bonariensis</i> .	287
Hyreus . . .	337	——— <i>brasiliانا</i> .	317
——— Abyssinian .	338	——— <i>butyracea</i> .	274